

Below is a list of products identifying their current availability of compliance with the RoHS Directive (EU) 2015/863. Note that this list is subject to change as more products will transition to RoHS compliance as parts availability, designs and manufacturing schedules are updated. All RoHS compliant products are identified with a RoHS label.

- Key for product table to indicate current RoHS compliance status:**
- = RoHS compliance available; **MUST SPECIFY AT TIME OF ORDER PLACEMENT**
 - ▶ = RoHS compliance in future
 - = No plan for RoHS compliance

Popular Products		
<u>Model</u>	<u>Product Description</u>	<u>RoHS Directive Status</u>
531	1/4 DIN PLC, DCS, PC Control Backup Station	●
532	1/4 DIN Auto/Manual Backup Station	●
535	1/4 DIN Single Loop PID Process Controller	●
545	1/4 DIN Dual Loop PID Controller	●
555	1/4 DIN Chlorination/Dechlorination Controller	●
535-PROF	1/4 DIN PROFILER Controller	●
ACX	AC Current Isolator and Transmitter (2-Wire)	○
BH	Explosion-Proof Field-Mount Enclosure for Hockey-Puck Instruments	●
BIMETAL	Dual-Mode Remote Thermometer	●
BULLET	WirelessHART Adapter	●
CAN OF WORMS	Economical 10-Pack of WORM Flexible Sensors	●
CCS	Cable Concentrator System	○
CPMS	Cathodic Protection Monitoring System	●
D-BOX	NEMA 4X Field-Mount Enclosure for Hockey-Puck Instruments	●
DPS 240	DIN-Style 240mA Instrument Power Supply	○
DPS 1200	DIN-Style 1200mA Instrument Power Supply	○
ECA-DIN	Current and Voltage Alarm in Metal DIN-Style Housing (4-Wire)	●
ECS	Economy Power Supplies	○
ECT-DIN	Signal Isolators, Converters, Repeaters, and Splitters	●
EPX2	Explosion-Proof Voltage-to-Pressure Transmitter	○
FCT	Field Configurable Signal Isolator and Converter (4-Wire)	○
FDM252	MooreHawke TRUNKSAFE Fieldbus Diagnostics Module	○
FDY	PC-Programmable Frequency-to-DC Converter (2-Wire)	●
FILTERS	Instrument Air Filters for I/P Converters	●
FPS200	MooreHawke TRUNKGUARD Fieldbus Power Conditioner	○
FPS201-2	MooreHawke TRUNKGUARD Fieldbus 2-Segment Redundant Pwr Din Carrier	○
FPS201-4	MooreHawke TRUNKGUARD Fieldbus 4-Segment Redundant Pwr Din Carrier	○
FPS201-4-S	MooreHawke TRUNKGUARD Fieldbus 4-Segment Redundant Pwr Din Carrier (Surge Protection)	○
FPS201-8	MooreHawke TRUNKGUARD Fieldbus 2-Segment Non-Redundant Pwr Din Carrier	○
FPS202	MooreHawke TRUNKSAFE Segment Power Conditioner Module	○
HCS	HART Concentrator System HART-to-MODBUS RTU Converter (4-Wire)	●
HES	Hart to Ethernet Gateway	●
HIM	Smart HART Loop Interface and Monitor (4-Wire)	●
HIT and HIX	HART Isolators (2- and 4-Wire)	●
HMC	HART-to-MODBUS Converter for TCS Temperature Concentrator System	●
HTZ	Smart HART Humidity and Temperature Transmitter	●
I-BOX	Surface-Mount Instrument Enclosure	●
IPF	Field-Mount Current-to-Pressure Transmitter	○
IPH2	Field-Mount NEMA 4X Current-to-Pressure Transmitter (2-Wire)	●
IPT2	High-Performance DIN-Style Current-to-Pressure Transmitter (2-Wire)	●
IPX2	Field-Mount Explosion-Proof Current-to-Pressure Transmitter (2-Wire)	●
LH	Field-Mount Enclosure for Head-Mount Instruments	●
LRX	Low-Power Temperature Transmitter (2-Wire)	○
MDS	I/O EQUATION STATION Multifunction I/O System (4-Wire)	●
MIT	Multi-Channel Signal Isolator and Converter (4-Wire)	●

MIX	Multi-Channel Signal Isolator and Converter (2-Wire)	●
MNCS	microNCS MODBUS RTU Master and Distributed I/O System	●
NCS - AIM	NET Concentrator System Analog Input Module	●
NCS - AOM	NET Concentrator System Analog Output Module	▶
NCS - CPM	NET Concentrator System Concentrator Power Supply Module	▶
NCS - DIM	NET Concentrator System Discrete Input Module (Contact Closure or Voltage Input)	●
NCS - EMM	NET Concentrator System Ethernet/MODBUS Interface Module	●
NCS - ROM	NET Concentrator System Relay Output Module (Normally Open or Normally Closed)	●
NCS - TIM	NET Concentrator System Temperature Input Module	●
PAC	AC Current Transducer (4-Wire)	○
PAV	AC Voltage Transducer (4-Wire)	○
PIH	Field-Mount Pressure-to-Current Transmitter (2-Wire)	○
PIT	DIN-Style Pressure-to-Current Transmitter (2-Wire, 4-Wire)	●
PIX	Explosion-Proof Pressure-to-Current Transmitter (2-Wire)	▶
PSD	PC-Programmable 4-20mA Loop Display (2-Wire)	●
PVT	AC Power Transducers	○
PWT	AC Power Transducers	○
PWV	AC Power Transducers	○
R-BOX	Field-Mount Enclosure for DIN-Style, Rail-Mount Instruments	●
RIY	Site-Programmable RTD Transmitters with Display (2-Wire)	●
RM102B	MooreHawke ROUTE-MASTER Fieldbus Spare Trunk Isolator Module	●
RM103B	MooreHawke ROUTE-MASTER Fieldbus Spare DC Regulator Card	○
RM108-DIN	MooreHawke ROUTE-MASTER Fieldbus 8-Spur Device Coupler	○
RM108S-DIN	MooreHawke ROUTE-MASTER Fieldbus 8-Spur Device Coupler	○
RM110-012	MooreHawke ROUTE-MASTER Fieldbus Power Tray	○
RM110-013	MooreHawke ROUTE-MASTER Fieldbus Power Tray Conditioner	○
RM110-8-S	MooreHawke ROUTE-MASTER Fieldbus 8-Segment Power Tray	○
RMA100-TRK-TERM	MooreHawke ROUTE-MASTER Fieldbus Trunk Terminator (FISCO)	○
RMA104-DIN	MooreHawke ROUTE-MASTER Fieldbus 4-Spur Device Coupler	○
RMA104C-DIN	MooreHawke ROUTE-MASTER Fieldbus 4-Spur Device Coupler	○
RMA108-DIN	MooreHawke ROUTE-MASTER Fieldbus 8-Spur Device Coupler	○
RMA108C-DIN	MooreHawke ROUTE-MASTER Fieldbus 8-Spur Device Coupler	○
RMA10X-DIN	MooreHawke ROUTE-MASTER Fieldbus 10-Spur Device Coupler	○
RMA10XC-DIN	MooreHawke ROUTE-MASTER Fieldbus 10-Spur Device Coupler	○
RMA10W-DIN	MooreHawke ROUTE-MASTER Fieldbus 12-Spur Device Coupler	○
RMA10WC-DIN	MooreHawke ROUTE-MASTER Fieldbus 12-Spur Device Coupler	○
SB	Stainless Steel Explosion-Proof Field-Mount Enclosure	●
SCX	Signal Isolator and Converter (2-Wire)	○
SDY	PC-Programmable Isolator/Converter with Display (2-Wire)	●
SEISMIC CLIPS	DIN-Rail Locks and Endstops for DIN-Mount Instruments	●
SFY	Functional Safety Frequency-to-DC Transmitter with Display	●
SIR	5-, 10-, 15-Position Surface-Mounted IPT-DIN Rack	●
SIX	Signal Isolator and Converter (2-Wire)	●
SIY	PC-Programmable Signal Isolator/Converter (2-Wire)	●
SLD	Functional Safety Programmable Loop Display	●
SMP	Surface-Mount Power Supply	○
SPA	Site-Programmable Alarm (4-Wire)	○
SPA2	Site- and PC- Programmable Alarm Limit Alarm Trips (4-Wire)	●
SPA2IS	Prog. Limit Alarm Trips w/ Intrinsically-Safe Field Connections (4-Wire)	●
SPD	Programmable Field-Mount Loop Display, NEMA 4X, IP66 (2-Wire)	●
SPM201	MooreHawke Surge Protection Module	▶
SPT	Site-Programmable Temperature Transmitter (4-Wire)	○
SRM	Safety Relay Module (4-Wire)	●
SST	4-Wire, Line-Powered HART Safety Series Isolator and Splitter	●
SSX	2-Wire, Loop-Powered HART Safety Series Isolators	●
STA	SIL 2 and SIL 3 Compliant Programmable Safety Trip Alarms (4-Wire)	●
STZ	Functional Safety Dual Input Smart HART Temp. Transmitters (2-Wire)	●
SURGE	DIN-Plug Surge Suppressor for 2- and 4-Wire Instruments	●
T2X	TEMPTATION 2000 Non-Isolated RTD Transmitter (2-Wire)	●
T2X-DWB	Wall-Mount Room Air Temperature Monitoring System	●
TCM	Temperature Concentrator Module	●
TCS	Temperature Concentrator System Multi-Channel Transmitter	●
TDY	PC-Programmable Temperature Transmitter with Display (2-Wire)	●
TFZ	Programmable FOUNDATION Fieldbus Temperature Transmitter (2-Wire)	○
THZ DH/WL	Smart HART and WirelessHART Temperature Transmitter (2-Wire)	●
THZ3/TDZ3	Dual Input Smart HART Temperature Transmitter	●
TIY	Site-Programmable Thermocouple Transmitter (2-Wire)	●

TMZ	PC-Programmable MODBUS Temperature Transmitter	▶
TMZ-DUAL	PC-Programmable MODBUS RTD Dual Temperature Transmitter	●
TPZ	Programmable PROFIBUS PA Temperature Transmitter (2-Wire)	○
TG204-DIN	MooreHawke TRUNKGUARD Fieldbus 4-Spur Device Coupler	●
TG208-DIN	MooreHawke TRUNKGUARD Fieldbus 8-Spur Device Coupler	●
TG208-MT	MooreHawke TRUNKGUARD Fieldbus 8-Spur Device Coupler	○
TG20W-DIN	MooreHawke TRUNKGUARD Fieldbus 12-Spur Device Coupler	●
TG20W-MT	MooreHawke TRUNKGUARD Fieldbus 12-Spur Device Coupler	●
TG20X-DIN	MooreHawke TRUNKGUARD Fieldbus 10-Spur Device Coupler	●
TG304-DIN	MooreHawke TRUNKGUARD Fieldbus 4-Spur Device Coupler	○
TG308-DIN	MooreHawke TRUNKGUARD Fieldbus 8-Spur Device Coupler	●
TPS201-4	MooreHawke TRUNKSAFE Fieldbus Advanced Power Conditioner DIN Carrier	●
TPS202	MooreHawke TRUNKSAFE Fieldbus Power Conditioner Module	●
TPS205	MooreHawke TRUNKSAFE Fieldbus Power Conditioner Module	●
TPS401-4-D	MooreHawke TRUNKGUARD Fieldbus Power Supply	○
TPS402-4-D	MooreHawke TRUNKGUARD Fieldbus Power Supply	○
TPS402-4-Y	MooreHawke TRUNKGUARD Fieldbus Power Supply	○
TS206-DIN	MooreHawke TRUNKSAFE Fieldbus 6-Spur Device Coupler	○
TS20W-DIN	MooreHawke TRUNKSAFE Fieldbus 12-Spur Device Coupler	●
TRK-TERM	MooreHawke Fieldbus Trunk Terminator	○
TRK-TERM-01	MooreHawke Fieldbus Trunk Terminator (Special)	○
TRX	PC-Programmable Non-Isolated Temperature Transmitter (2-Wire)	●
TRY	PC-Programmable Isolated Temperature Transmitter (2-Wire)	●
USB Cable	Fuse-Protected USB Comm. Cable	●
WNM	Wireless Network Module	●
WORM	Flexible RTD and Thermocouple Sensors	●

Legacy Products

Model	Product Description	RoHS Directive Status
AB	Angle Mounting Bracket Housing	●
ACT	AC Current Transmitter (4-Wire)	○
ADB	Analog Divider Module (4-Wire)	○
ADD	AC Programmable Digital Panel Meter (4-Wire)	○
ADM	Amplitude Discriminator Module (4-Wire)	○
ADM-PC	Amplitude Discriminator Module (4-Wire)	○
AFX	Analog Field Indicator (2-Wire)	○
ALM	Analog Linearizing Module (4-Wire)	○
ALX	Alarm Trip (2-Wire)	○
ARB	Adjustable Ramp Buffer (4-Wire)	○
ASM	Adder Subtractor Module (4-Wire)	○
AXB	Analog Multiplier Module (4-Wire)	○
BGI	Bar Graph Indicator (4-Wire)	○
BTX	BTU Transmitter (2-Wire)	○
CAM	Computer-to-Analog Module (4-Wire)	○
CLC	Current Loop Calibrator	○
DAI	Direct Analog Interface (4-Wire)	○
DCA	Direct Current Alarm (4-Wire)	○
DCA-ED	Direct Current Alarm Eurocard-Style with Display (4-Wire)	○
DCA-EU	Direct Current Alarm Eurocard (4-Wire)	○
DCD	Direct Current Display (4-Wire)	○
DDA	Current and Voltage Alarm (4-Wire)	○
DDD	DC Programmable Digital Panel Meter (4-Wire)	○
DDI	Direct Digital Interface (4-Wire)	○
DDS	I/O EXPRESS Distributed Data System (4-Wire)	○
DIX	Low Cost, Field-Mount, Digital Indicator (2-Wire)	○
DLM	Digital Linearizing Module (4-Wire)	○
DPD	Programmable Direct Current Display (4-Wire)	○
DPS525	525mA Instrument Power Supply (4-Wire)	○
DRM-DTM	Data Recorder Module-Data Transfer Module	○
DRT	Differential Resistance Transmitter (4-Wire)	○
DSM	Digital Scaling Module (4-Wire)	○
DSX	Digital Indicator (2-Wire)	○
DVX	Current-to-Digital Display Indicator (2-Wire)	○
ECA-ECD	Current and Voltage Alarm (4-Wire)	○
EC-DCA	Economy Direct Current Alarm (4-Wire)	○
EC-DCA/PC	Economy Direct Current Alarm (4-Wire)	○

EC-SCT	Economy Signal Converter (4-Wire)	o
ECT-ECD	Signal Isolators in Thermoplastic DIN-style Housings (2-Wire, 4-Wire)	o
EP-FDX	Extended Performance Frequency-to-DC (2-Wire)	o
EP-RBX	Extended Performance Resistance Bulb Transmitter (2-Wire)	o
EPRX/RLX	Low Cost, Linearizing RTD Transmitter (2-Wire)	o
EP-TCX	Extended Performance Thermocouple Transmitter (2-Wire)	o
EX	Explosion-Proof Enclosure for 4-Wire Instruments	●
EXPL	Explosion-Proof Enclosure for 2-Wire Instruments	●
FCA	Field-Configurable Current or Voltage Alarm (4-Wire)	o
FCT[UB]	Signal Converter/Isolator (4-Wire)	o
FDT	Frequency-to-DC Transmitter (4-Wire)	o
FDX	Frequency-to-DC Transmitter (2-Wire)	o
FFX	Frequency-to-Frequency Transmitter (2-Wire)	o
FSM	Frequency Scaling Module (4-Wire)	o
HFA	HART Fault Alarm (4-Wire)	o
IPH	Field-Mount NEMA 4X Current-to-Pressure Transmitter (2-Wire)	o
IPT	DIN-Style Current-to-Pressure Transmitter (2-Wire)	o
IPX	Field-Mount Explosion-Proof Current-to-Pressure Transmitter (2-Wire)	o
IRM/ORM	Input Relay Module/Output Relay Module	o
IST	DIN-Style Signal Isolator/Converter/Splitter (4-Wire)	o
ITX	Integrating Totalizer (2-Wire)	o
LCM	Link Converter Module	o
LFM	Link to Fiber Module	o
LIT	Linear Integrating Totalizer (4-Wire)	o
MDA	Millivolt Alarm (4-Wire)	o
MMM	Meter Module	o
MSS	Median Signal Selector (4-Wire)	o
MVA	Millivolt Alarm (4-Wire)	o
MVA-ED	Millivolt Alarm Euro-Style with Display (4-Wire)	o
MVA-PC	Millivolt Alarm (4-Wire)	o
MVM	Millivolt Meter Module	o
MVT	Millivolt Transmitter (4-Wire)	o
MVT-EU	Millivolt Transmitter Eurocard (4-Wire)	o
MXV	Millivolt Transmitter (2-Wire)	o
OT and WT	NEMA 4 and 12 Enclosures for Standard Transmitters	●
PAM	Pulse Accumulating Module (4-Wire)	o
PCV	Watt/Watt-hour, Var/Var-hour Transducer (4-Wire)	o
PDC	DC Voltage Transducer (4-Wire)	o
PDR	Pulse Duration Receiver (4-Wire)	o
PDT	Pulse Duration Transmitter (4-Wire)	o
PMR	Power Module, Rack-Mounted (4-Wire)	o
PPA	Phase Angle Transducer (4-Wire)	o
PPF	Power Factor Transducer (2-Wire)	o
PPI/PSI	Pneumatic Integrator	o
PPM	Site-Programmable AC Power Monitor and Display	o
PPS/PPX/SPS	Process Power Supplies	o
PSA-DIN	Pressure Alarm	o
PSA-HP	Pressure Alarm	o
PSM	Pulse Summing Module (4-Wire)	o
PTT	Potentiometer Transmitter (4-Wire)	o
PTX	Potentiometer Transmitter (2-Wire)	o
PVH	Var/Var-hour Transducer (4-Wire)	o
PWH	AC Power (Watt/Watt-Hour) Transducer (4-Wire)	o
QPS	Quad Power Supply (4-Wire)	o
RBA-ED	Resistance Bulb Alarm, Euro-Style with Display (4-Wire)	o
RBA-PC	Resistance Bulb Alarm (4-Wire)	o
RBA-STD	Resistance Bulb Alarm (4-Wire)	o
RBT	RTD Transmitter (4-Wire)	o
RBT-EU	Resistance Bulb Transmitter Eurocard (4-Wire)	o
RBX	RTD Transmitter (2-Wire)	o
RCM	Repeat/Converter Module	o
RDA	Resistance Bulb Alarm DIN-Style (4-Wire)	o
RDD	RTD Digital Panel Meter (4-Wire)	o
RIR	IPT-DIN Rack	●
RIX	Isolated RTD Transmitter (2-Wire)	o
RLM	Redundant Link Module (4-Wire)	o
RMR	Eleven-Position Rack-Mounted Card Rack	o

RRM	Rack Relay Module (4-Wire)	o
SCM	Sensor-to-Computer Module (4-Wire)	o
SCT/DSCT	Signal Converter/Dual Signal Converter (4-Wire)	o
SCT-EU	Signal Converter Eurocard (4-Wire)	o
SGT-XSGT	Strain Gage Transmitter (4-Wire)	o
SHM (Analog)	Sample Holding (Analog) Module (4-Wire)	o
SHM (Digital)	Sample Holding (Digital) Module (4-Wire)	o
SIT	Square Root Integrating Totalizer (4-Wire)	o
SLM	Signal Limiting Module (4-Wire)	o
SPA-HART	Site-Programmable HART Alarm (4-Wire)	o
SRT-PC	Square Root Transmitter (4-Wire)	o
SRT-STD	Square Root Transmitter (4-Wire)	o
SRX	Square Root Transmitter (2-Wire)	o
SSM	Supply Switching Module	o
STM-PC	Sample Timing Module (4-Wire)	o
STM-STD	Sample Timing Module (4-Wire)	o
SVX	Solenoid Valve (2-Wire)	o
TCA	Thermocouple Alarm (4-Wire)	o
TCA-ED	Thermocouple Alarm Euro-style with Display (4-Wire)	o
TCE	NEMA 1, 2, 4, 12 Transparent Cover Enclosure	●
TCT	Thermocouple Transmitter Eurocard (4-Wire)	o
TCT-EU	Thermocouple Transmitter Eurocard (4-Wire)	o
TCX	Thermocouple Transmitter	o
TDA	Thermocouple DIN Alarm (4-Wire)	o
TDD	Thermocouple Programmable Digital Panel Meter (4-Wire)	o
THZ/TDZ	Smart HART Temperature Transmitters (2-Wire)	o
THZ2/TDZ2	Smart HART Temperature Transmitters	o
TID	Temperature Input Display (4-Wire)	o
TIX	Isolated Linear Thermocouple Transmitter (2-Wire)	o
TNX/TLX	Low-Cost Thermocouple Transmitters (2-Wire)	o
TPD	Programmable Temperature Input Display (4-Wire)	o
TRZ	Smart HART Temperature Transmitter (2-Wire)	o
UB234	Standard Bracket for UB2, UB3, UB4 Housing	o
USB	Fuseless USB Comm. Cable	o
WLM	Wireless Link Module	o
WP/WPM	Field-Mounted Pneumatic Transmitters Enclosures	●